

Network Camera Firmware

Version: V5.5.93

Release Note (**External**)

(2019-07-29)

Firmware Basic Information	Firmware Version:	V5.5.93 build 190729
	SDK Version:	V5.3.6.35 build180830
	iVMS-4200	V2.5.13.2 build170709

Hikvision Firmware V5.5.93 build 190729 Features

** For Wireless Cameras*

1. New Features

- Newly support 2MP wireless bullet and dome models DS-2CV1021G0-IDW1(B), DS-2CD2121G1-IDW1(B);
- Newly support EasyIP 1.0+ series 2MP wireless cube model DS-2CD2421G0-I(W);
- Newly support Consumer series 2MP wireless mini PT and cube models DS-2CV2Q21FD-IW(B), DS-2CV2U21FD-IW(B);
- These models support:
 - Built-in mic, built-in speaker [not for DS-2CV1021G0-IDW1(B), DS-2CD2121G1-IDW1(B)]
SD card slot, Wi-Fi function, reset button, blue and red double color indicator light;
 - AP mode for Wi-Fi connection, the version of Hik-Connect APP should be 3.10.0 or above;
 - Two-way audio [not for DS-2CV1021G0-IDW1(B), DS-2CD2121G1-IDW1(B)];
 - Online update via Hik-Connect APP [not for DS-2CD2421G0-I(W)];
 - Highlight Compensation, DWDR;
 - Voice broadcast [not for DS-2CV1021G0-IDW1(B), DS-2CD2121G1-IDW1(B)];
 - Reset button, press longer than 4 seconds to default camera, press for 0.2 to 4 seconds to switch AP and Wi-Fi mode;
 - NAS;

- Added to NVR (DS-7104NI-K1/W/M, DS-7108NI-K1/W/M V3.4.100) via Wi-Fi Match, the password of camera is Hik + verification code on label (not contain +) after activated by NVR.
- DS-2CV2Q21FD-IW(B) support PT, 16 presets, smart tracking to track the motion object, don't support patrol;
- DS-2CD2421G0-I(W) support PIR, Line Crossing Detection, Intrusion Detection, 4 languages (English, Russia, Tail, Vietnamese), DHCP is enabled by default;
- DS-2CV2Q21FD-IW(B), DS-2CV2U21FD-IW(B), DS-2CV1021G0-IDW1(B), DS-2CD2121G1-IDW1(B) don't support webpage.

2. Optimization

- Improve the anti-interference ability of wireless camera;
- DS-2CV1021G0-IDW1(B), DS-2CD2121G1-IDW1(B), DS-2CV2Q21FD-IW(B), DS-2CV2U21FD-IW(B) don't support ONVIF, HTTPS, Video Tampering, Rotate, Dual-VCA, E-mail, FTP, Online User.

Compatibility Update

- HIKCGI version: V2.0;
- ISAPI version: V2.4;
- Milestone:
 1. Milestone Enterprise 8.1a(10.2a), Milestone drive version (Driver 9.1), test HIKCGI
 2. Milestone software version (Milestone Corporate 11.1a), Milestone drive version (Driver 9.1), test HIKCGI
- Avigilon:
 1. Control Center: V5.10.12.2;
- Excaqvision:
 1. Version: 8.4.2
 2. Protocol: HIKCGI
- NAS(Only test for Brainaire):

DS-A2016R, DS-A1016RS V2.2.0-7
- Tested NVRs:

Super I Series: DS-96256NI-I24; DS-96256NI-I24/H (V4.1.41)

E Series: DS-7732NI-E4/16P (V3.4.98)

G Series: DS-7608NI-G2/4P (V3.4.1 build 151225)

K Series: DS-7632NI-K2 (V4.1.54)

I Series: DS-9664NI-I8(DS-7632NI-I2/16P) (V4.1.50)

DeepInMind Series: V4.1.20

Acusense Series: DS-7716NXI-I2/S; DS-7716NXI-I2/16P/S

Note: The compatibility of IPC and NVR models in the same NVR series is the same.

Customer Impact and Recommended Action

This update refers to function/compatibility improvement and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action. For any questions and request for this firmware, please contact our local technical support team.

Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain defects or errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd.
No. 555 Qianmo Road, Binjiang District, Hangzhou 310051, China
Tel: +86-571-8807-5998
FAX: +86-571-8993-5635
Email: overseabusiness@hikvision.com

Supported Product List		
Product Category	Model Number	Product Description
Wireless Bullet	DS-2CV1021G0-IDW1(B)	2MP, DWDR, H.265, Wi-Fi
Wireless Dome	DS-2CD2121G1-IDW1(B)	2MP, DWDR, H.265, Wi-Fi
Wireless Cube	DS-2CD2421G0-I(W)	2MP, DWDR, H.265, Wi-Fi
Wireless Mini PT	DS-2CV2Q21FD-IW (B)	2MP, DWDR, H.265, Wi-Fi
Wireless Cube	DS-2CV2U21FD-IW (B)	2MP, DWDR, H.265, Wi-Fi