

Network Camera Firmware Version: V5.7.1

Release Note


(2021-12-14)

Firmware Basic Information	Firmware Version:	V5.7.1 build211206
---------------------------------------	-------------------	--------------------


2xx7G2(D) Camera V5.7.1 Features

1. New Features

- New 8MP products supporting 2 series X7;
- Added support for metadata, substream overlay does not support target box;



- Added support HPC;
- Added Korean and Hebrew to the OSD function for overseas products;



2. Improved Features

- Channel IPC's face exposure function in face capture is closed by default;

Customer Impact and Recommended Action

This update refers to function/compatibility improvement and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action. For any questions and request for this firmware, please contact our local technical support team.

Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd.
No. 555 Qianmo Road, Binjiang District, Hangzhou
310051, China
Tel: +86-571-8807-5998

Supported Product List (2xx7G2(D) Series)	
Product Category	Model Number
EasyIP 4.0 with ColorVu	DS-2CD2087G2-L(U)K(2.8/4/6mm)(D)
EasyIP 4.0 with ColorVu	DS-2CD2387G2-L(U)K(2.8/4)(D)
EasyIP 4.0 with ColorVu	DS-2CD2T87G2-LK(2.8/4/6mm)(D)

Note: Models in red font are newly released models.