

## iVMS-4200 AC Client Software

iVMS-4200 AC Client Software is a versatile security management software for access control devices and video intercom devices added to the software. It provides multiple functionalities, including person management, access control, video intercom, time & attendance, etc., for the connected devices to meet the needs of monitoring task. With the flexible distributed structure and easy-to-use operations, iVMS-4200 AC is widely applied to projects in medium or small scale.

### Key Feature

#### Person Management

- Supports managing persons in different organizations
- Supports getting person information from added device
- Supports importing and exporting person and face information
- Provides multiple types of credentials, including card number, face, and fingerprint, for composite authentications

#### Access Control

- Supports setting holiday schedule and access schedule template
- Supports setting a schedule for door's remaining open/closed status
- Supports multiple modes for both card reader authentication and person authentication
- Supports setting access groups to relate persons, templates, and access points, which defines the access permissions of different persons
- Supports advanced functions such as multi-factor authentication, custom Wiegand, first person in, anti-passback, and multi-door interlocking

#### Elevator Control

- Supports setting parameters for elevator control devices
- Supports setting the relay types of the elevator control devices and setting the relationship between relays and floors
- Supports controlling elevator status via the client, including opening door, controlled, free, and disabled

#### Time and Attendance

- Supports setting general rules for time and attendance
- Supports customizing overtime levels and setting corresponding work hour rate
- Supports flexible and quick settings of timetables, shifts, and shift schedule
- Supports getting details attendance data from the managed device, including check-in and check-out, break-in and break-out, overtime-in and overtime-out, etc.
- Supports multiple types of reports according to different needs
- Supports customizing contents displayed in reports and sending report to specified emails according to schedule
- Supports setting different rules for various attendance scenarios, such as one-shift and man-hour shift
- Supports sending the original attendance data to a third-party database (Microsoft® SQL Server® 2008 and above) and customizing the data type, thus the client can access third-party T&A and payment system





## **Real-Time Monitoring**

- Supports sending notifications to specified emails when a real-time event occurs
- Supports controlling the door status (to open, close, remain open, and remain closed) by the client remotely
- Supports displaying real-time events and viewing captured person pictures

## **General**

- Supports adding devices by IP address, IP segment, EHome, and batch import
- Provides configuration wizards for access control and time and attendance, which helps users to quick start
- Supports configuration file backup according to the schedule

## System Requirement


\* For high stability and good performance, the following system requirements must be met.

Features	Requirements
Operating System	Microsoft® Windows 7 SP1 and above (32-bit or 64-bit) Microsoft® Windows 8.1 (32-bit or 64-bit) Microsoft® Windows 10 (32-bit or 64-bit) Microsoft® Windows Server 2008 R2 and above (32-bit or 64-bit) Microsoft® Windows Server 2012 R2 and above (32-bit or 64-bit)
CPU	Intel® Core™ i3 Processors and above
Memory	2 GB or above
Resolution	1280×768 and above

## Specification

Model		iVMS-4200 AC
Database	Client Database	SQLite (encrypted)
	Third-Party Database	Microsoft® SQL Server® 2008 and above
Resource	Access Point (Doors/Floors)	64
	Door Station	16
	Indoor Station	512
	Master Station	256
Person	Person	3,200
	Organization	10 Hierarchies
	Card	16,000
Access Group		128
Template		255
Shift		64
Time and Attendance Data	Retention Period of Attendance Results	The data are stored in the database, which is saved in the software's installation path. The retention period depends on the HDD capacity and the amount of the data generated during usage.
	Retention Period of Original Records	
Supported Language		Arabic , Bulgarian, Croatian, Czech, Danish, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Lithuanian, Norwegian, Polish, Portuguese, Portuguese (Brazil) , Romanian, Russian, Serbian, Simplified Chinese, Slovak, Slovenian, Spanish, Swedish, Thai, Traditional Chinese, Turkish, Ukrainian , Vietnamese

## Typical Application



Distributed by



## HIKVISION®

### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Korea**  
T +82-(0)31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com