

# IPC V5.7.11 Release Note (2022-06-16)

Firmware		
Basic	Firmware Version:	V5.7.11 build220525
Information		

### **Features**

#### New Features

- 1. Separation of dormancy plan and snapshot plan
- 2. Support traffic statistics
- 3. OSD superimposes various information: charging voltage, current, discharge voltage, current, power, battery temperature, 4G signal strength, network quality, software version information
- 4. Support maintainability requirements: expert mode, etc.
- 5. Quick start support OSD overlay
- 6. OSD overlay information supports platform-side report display
- 7. ISUP protocol supports fast video download and double-speed playback
- 8. Support ISUP5.0 to jump to the web interface. 12. ISUP and EZVIZ support low battery alarm. When the device is low battery (less than 20%), it will give the user an alarm message to inform the user.
- 9. Support expired video recording and SD card storage encryption;

## **Customer Impact and Recommended Action**

This update refers to function/compatibility improvement and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this



action.

For any questions and request for this firmware, please contact our local technical support team.

#### Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd.

No. 555 Qianmo Road, Binjiang District, Hangzhou 310051,

China

Tel: +86-571-8807-5998 FAX: +86-571-8993-5635

Email: overseabusiness@hikvision.com

Supported Product List		
Product Category	Model Number	
DS-2XS6A25G0-I/CH20S40	DS-2XS6A25G0-I/CH20S40(2.8mm)(O-STD)(Unpackaged)	
DS-2XS6A25G0-I/CH20S40	DS-2XS6A25G0-I/CH20S40(4mm)(O-STD)(Unpackaged)	
DS-2XS6A25G0-I/CH20S40	DS-2XS6A25G0-I/CH20S40(8mm)(O-STD)(Unpackaged)	
DS-2XS6A25G0-I/CH20S40	DS-2XS6A25G0-I/CH20S40(2.8mm)(O-NEU)(Unpackaged)	
DS-2XS6A25G0-I/CH20S40	DS-2XS6A25G0-I/CH20S40(4mm)(O-NEU)(Unpackaged)	
DS-2XS6A25G0-I/CH20S40	DS-2XS6A25G0-I/CH20S40(8mm)(O-NEU)(Unpackaged)	
DS-2XS6A25G0-I/CH20S40(No battery)	DS-2XS6A25G0-I/CH20S40(2.8mm)(O-STD)(No battery)	
DS-2XS6A25G0-I/CH20S40(No battery)	DS-2XS6A25G0-I/CH20S40(4mm)(O-STD)(No battery)	
DS-2XS6A25G0-I/CH20S40(No battery)	DS-2XS6A25G0-I/CH20S40(8mm)(O-STD)(No battery)	
DS-2XS6A25G0-I/CH20S40(No battery)	DS-2XS6A25G0-I/CH20S40(2.8mm)(O-NEU)(No battery)	
DS-2XS6A25G0-I/CH20S40(No battery)	DS-2XS6A25G0-I/CH20S40(4mm)(O-NEU)(No battery)	
DS-2XS6A25G0-I/CH20S40(No battery)	DS-2XS6A25G0-I/CH20S40(8mm)(O-NEU)(No battery)	
DS-2XS6A87G1-L/C32S80(No battery)	DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(Unpackaged)	
DS-2XS6A87G1-L/C32S80(No battery)	DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)(Unpackaged)	
DS-2XS6A87G1-L/C32S80(No battery)	DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(Unpackaged)US	
DS-2XS6A87G1-L/C32S80(No battery)	DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)UnpackagedUS	
DS-2XS6A87G1-L/C32S80(No battery)	DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(Unpackaged)JP	
DS-2XS6A87G1-L/C32S80(No battery)	DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)UnpackagedJP	
DS-2XS6A87G1-L/C32S80(No battery)	DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(Unpackaged)LA	
DS-2XS6A87G1-L/C32S80(No battery)	DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)UnpackagedLA	
DS-2XS6A87G1-L/C32S80(No battery)	DS-2XS6A87G1-L/C32S80(4mm)(O-STD)	
DS-2XS6A87G1-L/C32S80(No battery)	DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)	

DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(US)
DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)(US)
DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(JP)
DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)(JP)
DS-2XS6A87G1-L/C32S80(4mm)(O-STD)(LA)
DS-2XS6A87G1-L/C32S80(2.8mm)(O-STD)(LA)
DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)
DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)
DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(US)
DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)(US)
DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(JP)
DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)(JP)
DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(LA)
DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)(LA)
DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(Unpackaged)
DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)(Unpackaged)
DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(Unpackaged)US
DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)UnpackagedUS
DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(Unpackaged)JP
DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)UnpackagedJP
DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(Unpackaged)LA
DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(Unpackaged)LA
DS-2XS6A87G1-L/C32S80(4mm)(O-NEU)(Unpackaged)LA  DS-2XS6A87G1-L/C32S80(2.8mm)(O-NEU)UnpackagedLA