


# Network Camera Firmware Version: V5.8.1 Release Note


Firmware			
Basic Information	Firmware Version:	V5.8.1 build 231017	

## 1. New Features

When the flow direction analysis function is enabled, support overlay pass by data on OSD.



Newly support target track overly function.




### 2. Modify Features

 Dynamic Deduplication → Filtering Time Interval support in days, minutes, and seconds. Range from 0 day 0 hour 0 min 0 sec to 6 days 23 hours 59 min 59 sec.





• Support enable Face Exposure and configure face exposure parameters.



## **Customer Impact and Recommended Action**

This update refers to function/compatibility improvement and will take effect automatically after the Date of Change. We are very sorry for any inconvenience of use-habit changes caused by this action. For any questions and request for this firmware, please contact our local technical support team.

#### Remarks:

- Hikvision reserves the right to change, alter or withdraw the above notification without prior notice.
- Product design and specifications are subject to change without prior notice.
- The Hikvision firmware may contain errors known as errata which may cause the product to deviate from published specifications. Current characterized errata are available on request.
- Hikvision is not liable for any typing or printing errors.

Hikvision Digital Technology CO., Ltd. No. 555 Qianmo Road, Binjiang District, Hangzhou 310051, China

Tel: +86-571-8807-5998



Supported Product List		
Product Category	Model Number	
7 Series DeepinView Camera	iDS-2CD7146G0/C-IZS	

Note: Models in red font are newly released models.